8-16-1995 10:06

Airosol AIRCRAFT INSECTICIDE

ACTIVE INGREDIENTS:

3-phenoxybenzyl d-cis and trans* 2,2-dimethyl-3-(2-methlpropenl) cyclopropanecarboxylate	1.92%
Other Isomers	0.08%
INERT INGREDIENTS	98.00%
	100.00%

*cis/trans isomer ratio: max 25% (+ or -) cis min. 75% (+ or -) trans

WARNING: Contains 1-CHLORO-1, 1-DIFLUOROETHANE, CHLORODIFLUOROMETHANE, substances which harms public health and the environment by destroying ozone in the upper atmosphere.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for
Additional Precautionary Statements

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED:	Call a physician or Poison Control Center immediately.
IF INHALED:	Remove victim to fresh air
IF ON SKIN:	Remove contaminated clothing and wash affected areas of the skin with soap and water. Get medical attention if irritation persists. Wash contaminated clothing separately from other laundry.
IF IN EYES:	Flush eyes with plenty of water. Get medical attention if irritation persists.

Net Weight 2 oz. (56 gms)

Manufactured by
Airosol Company, Inc. * 1101 Illinois * Neodesha, KS 66757
EPA REG. NO. 901-82 EPA EST. NO. 901 KS-1

PRECAUTIONARY STATEMENTS

CAUTION

Hazards to Humans and Domestic Animals

Harmful if swallowed or absorbed through the skin. Avoid breathing vapors. Avoid contact with skin and eyes. Do not use in commercial food preparation or processing areas. In the home, food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse after using this product. Remove exposed food before spraying. Remove pets, birds and cover fish aquariums before spraying.

Physical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USE. HOLD CONTAINER UPRIGHT. APPLY IN SHORT BURSTS.

DIRECTIONS FOR USE

Not To Be Used On Aircraft With Passengers And Crew Aboard

ABOARD AIRCRAFT: To kill flying insects (mosquitoes, houseflies and Caribbean fruit flies): Use while the aircraft is empty of passengers and on the ground prior to take off and after landing. Before takeoff and after loading of all cargo is complete, close all doors, hatches and ventilation openings. Stop ventilation for a period of not less than 3 minutes and spray all spaces within the aircraft. Spray 10 grams (10 seconds) per 1000 cubic feet. Push button to spray. Move arm from side to side in a sweeping motion. After spraying is complete, turn on ventilation system and ventilate for 15 minutes prior to boarding the aircraft with passengers. After landing, remove all passengers, close all doors, hatches and ventilation openings and reapply insecticide as instructed above.

IN BUILDINGS, VANS, SHIPS AND IN TENTAGE FOR INDOOR USE ONLY: To Kill Flying Insects (Mosquitoes, Houseflies, and Gnats): Close space to be treated. Release 3 feet from any surface, holding dispenser above the head. Moving the dispenser about while spraying aids in dispense only for time indicated. Ten seconds of spraying is ample for each 1000 cubic feet (10 feet x 10 feet x 10 feet). Keep treated area closed for at least 30 minutes. Ventilate area before re-entry. Repeat as necessary.

To Kill Cockroaches: Contact as many insects as possible with the spray in addition thoroughly spraying all parts of the room suspected of harboring cockroaches. Speci attention should be paid to cracks, hidden surfaces and where these pests are suspecte of hiding.

STORAGE AND DISPOSAL

Storage:	Store in cool area away from heat or open flame.
Disposal:	Do not reuse empty container. Replace cap. Securely wrap container in several layers of newspapers and discard in trash.